Safety Data Sheet



Issue date: 01/01/2021-Updated 15/2/2023

Product Name: Flooring Supplies Product TC

1.1 Product Identifier	
Product Code:	TC
Product Name:	Flooring Supplies Product TC
Correct Shipping Name:	Corrosive Liquid, N.O.S (contains Hydrochloric Acid)
HS Tariff Code:	2826.19
1.2 Correct Usage	
Recommended use:	Product to be used as part of the Floorsafe Anti-Slip treatment – specifical for concrete and terrazzo floors
1.3 Company Details	
Company Name:	Slip Proof NZ Ltd
Address:	100A Park Road, Katikati
Telephone No:	027-2221742, 07-5422240
Email:	info@slipproof.co.nz
1.4 Emergency Contact Detai	ls
Emergency :	027-2221742 Murray Jepson
0,	NZ Poisons Centre 0800 Poison (0800 764 766)
	(Note SDS is stored on file here)
2. Hazards Identificatio	n
 Hazards Identificatio Classification of the M Hazardous according to criter 	n lixture
2.1 Classification of the M	n lixture
2.1 Classification of the M Hazardous according to criter	n lixture ria of Worksafe Australia
2.1 Classification of the M Hazardous according to criter GHS Classifications: Non-GHS hazard statements	n lixture r ia of Worksafe Australia Skin Corrosion – Category 1B
2.1 Classification of the M Hazardous according to criter GHS Classifications: Non-GHS hazard statements And classification criteria:	n lixture r ia of Worksafe Australia Skin Corrosion – Category 1B
2.1 Classification of the M Hazardous according to criter GHS Classifications: Non-GHS hazard statements And classification criteria: 2.2 Label Elements	n lixture ria of Worksafe Australia Skin Corrosion – Category 1B AUH070 - Toxic by eye contact
2.1 Classification of the M Hazardous according to criter GHS Classifications: Non-GHS hazard statements And classification criteria: 2.2 Label Elements Signal Word:	n lixture ria of Worksafe Australia Skin Corrosion – Category 1B AUH070 - Toxic by eye contact
2.1 Classification of the M Hazardous according to criter GHS Classifications: Non-GHS hazard statements And classification criteria: 2.2 Label Elements Signal Word: Pictograms:	n lixture ria of Worksafe Australia Skin Corrosion – Category 1B AUH070 - Toxic by eye contact DANGER
2.1 Classification of the M Hazardous according to criter GHS Classifications: Non-GHS hazard statements And classification criteria: 2.2 Label Elements Signal Word: Pictograms: Hazard Statement/s:	n lixture Tia of Worksafe Australia Skin Corrosion – Category 1B AUH070 - Toxic by eye contact DANGER MURICIAL Content of the second o
2.1 Classification of the M Hazardous according to criter GHS Classifications: Non-GHS hazard statements And classification criteria: 2.2 Label Elements Signal Word: Pictograms: Hazard Statement/s:	n lixture tia of Worksafe Australia Skin Corrosion – Category 1B AUH070 - Toxic by eye contact DANGER DANGER I Subject Courses Severe Skin burns and eye damage P261 – Avoid breathing dust/fumes/gas/mist/vaopus/spray

P270 – Do not eat, drink or smoke when using this product P301 + P310 + P330 – IF SWALLOWED: Rinse mouth. DO NOT induce vomiting immediately call a poison centre or doctor/physician P303 + P361 + P353 – IF ON SKIN (or hair): Remove/ take off immediately all contaminated clothing. Rinse skin with water/shower P363 – wash contaminate clothing before reuse P304 + P340 + P310 – IF INHALED: remove victim to fresh air and keep at rest in position comfortable for breathing. Immediately call a poison centre or doctor/physician P305 + P351 + P338 – IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing P405 – Store locked up P501 - Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

3. Composition/Information on Ingredients

Ingredient Name	CAS Number	Concentration
Hydrochloric Acid	7647-01-0	9.38%
Ampoteric Surfactans		6.0%

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

4. First Aid Measures	
Swallowed:	Rinse mouth with water. Do not induce vomiting. Give water to drink and seek immediate medical advice
Eye:	Immediately irrigate with copious amounts of water for at least 15mins. Hold eyelids open. Seek medical attention
Skin:	Remove heavily contaminated clothing. Wash affected area with copious amounts of water for at least 15 mins. If irritation develops seek medica attention
Inhaled:	Remove victim from exposure. Allow patient to assume most comfortabl position. Keep warm and at rest until fully recovered. If breathing has stopped apply artificial respiration immediately. Seek medical attention
5. Fire Fighting Measu	ures
Extinguishing Media:	Use extinguishing media appropriate to surrounding fire
Hazardous combustion	

Products:	If involved in a fire highly toxic fumes will be evolved
Flash Point:	No Data
Flammable Limits:	No Data
Special Exposure Hazards:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or suitable training. Move containers form fire area it this can be done without risk. Use water spray to keep fire-exposed containers cool.
Equipment for Fire fighters:	fire fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCUBA) with full face piece operated in positive pressure mode
Reactive data:	Do not mix with acids bleaches or other cleaning solutions. Do not splash
	onto metal surfaces if splashing occurs rinse with water and wipe clean
6. Spills and Disposal	
Personal Precautions:	Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut of all ignition sources. No flares, smoking or flames in hazard area. Do not breathe in vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment
Large Spills:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Small spill:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up with water. Neutralize if washing down storm water drains

For disposal refer to State Waste Management Authority

Classified as a Class 8 (CORROSIVE) Dangerous Substance for the purpose o
transport. Refer to the relevant regulations for storage and transport requirements
Not to be loaded with explosives (class 1), dangerous when wet substances (class 4.3), oxidising agents (class 5.1), organic peroxides (class 5.2), poisonous substances (class 6), radioactive substances (class 7) and foodstuff empties, however exemptions may apply

	This Material is a schedule Poison (S6) and must be used, stored and maintained in accordance with the relevant regulations
Storage:	Store in a cool place in sealed Plastic containers. Store in well-ventilated area. Store away from:
	1. oxidising agents and food stuffs
	2. Sources of heat
	3. Bases
	4. Glass
	5. Acids
	Keep containers closed when not in use.
8. Exposure Controls/	Personal Protection
Exposure Standards:	No Value assigned by the National Occupational Health and Safety
	Commission (Worksafe Australia). Keep Exposures as low as Practicable
Hygiene measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove
	Potential contaminated clothing. Wash contaminated clothing before re using. Ensure that eye wash stations and safety shoers are close to the workstation.
Engineering controls:	In very confined spaces have sufficient ventilation
Personal Protection:	Wear Rubber Gloves, waterproof footwear and eye protection. Always maintain a high level of personal hygiene when using this product.
Waste Solutions:	Water Corporation advises that wast solution may cause damage to metal pipes and concrete pits

References: Eye protectors should confirm to AS/NZS 1336 and AS/NZS 1337. Chemical-resistant gloves should conform to AS/NZS 2161.1. Respiratory protection should conform to AS/NZS 1716. Occupation footwear should conform to AS/NZS 2210

9. Physical and Chemical Properties

Physical State:	Liquid
Colour:	Orange
Boiling Point:	60°C
Vapour Pressure:	Not Available
Flash point (°C):	Non-Flammable
Flammable Limits:	Not Applicable
Specific Gravity:	1.07
PH:	Reading Unavailable
Solubility in water at room	
Temperature (g/l):	100%

10. Stability and Reac	tivity
General information:	Corrosive
Chemical Stability:	Product is stable under normal conditions of use, storage and temperature
Conditions to avoid:	Incompatible materials, moisture, temperatures above 60°C
Materials to Avoid:	Metals, acids, bases, glass
Hazardous Decomposition	
Products:	Fire may produce irritating or poisonous gases. Containers may explode in heat of fire. At high temperatures, Hydrochloric acid decomposes into hydrogen and chlorine

11. Toxicology Info	ormation
Swallowed:	Toxic if swallowed. Ingestion causes burning, abdominal pain, vomiting and diarrhoea
Eye:	will cause moderate to severe irritation to eyes
Skin:	may cause irritation or burning to the skin after prolonged contact
Inhaled:	may cause irritation to the respiratory system at elevated concentrations
Chronic Effects:	prolonged contact with skin by the undiluted product will cause severe irritation and burning sensation that will be delayed for several hours

12. Ecological Information	
Persistence/Degradability:	No Information available
Persistence/Degradability:	
Mobility:	No Information available
Environmental Fate:	Do NOT let product reach water ways, drains and sewers
Bioaccumulation Potential:	No Information available
Environmental Impact:	No Data Available

13. Disposal Consider	rations
General Information:	Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.
Special Precautions for La	nd Fill: Contact a specialist disposal company or the local waste regulator for advice. Incinerate at an approved site following all local regulations. This material may be suitable for approved landfill.

14. Transport Information



Road and Rail Transport:	Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS
UN Number: 1760 DG Class: 8 Packing Group: 3 (III) Proper Shipping Name: Corro HAZCHEM Code: 2R	osive Liquid, N.O.S (contains Hydrochloric Acid)
Marine Transport:	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN Number: 1760 DG Class: 8 Packing Group: 3 (III) Proper Shipping Name: Corro HAZCHEM Code: 2R	osive Liquid, N.O.S (contains Hydrochloric Acid)
SUSDP: S6 (FED) G.T.EPG: 8A1 SPEC.EPG: Not Allocated	
<u>Air Transport:</u>	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN Number: 1760 DG Class: 8 Packing Group: 3 (III) Proper Shipping Name: Corro HAZCHEM Code: 2R	osive Liquid, N.O.S (contains Hydrochloric Acid)
15. Regulatory Informa	ation
Poisons Schedule:	S7
Packaging and Labelling:	As required by the ADG Code and the Standard for the Uniform Scheduling of Drugs and Poisons
16. Other Information	
Contact:	Flooring Supplies 5/288 Victoria Road Malaga WA 6090 Ph: 08 6364 3849 After Hours: 0421 159 842 NZ Poisons Centre 0800 Poison (0800 764 766)
	Page 6 of 7

Disclaimer:

Slip Proof NZ Ltd has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the Conditions of final use are outside of Slip Proof NZ Ltd's control.